

Publications

1. (with G.S. Watson) Testing a sequence of unit vectors for serial correlation. *J. Geophys. Res.* **72** (1967) 5655–5660.
2. Testing for uniformity on a compact homogeneous space. *J. Appl. Prob.* **5** (1968) 177–195.
3. Asymptotic theory of a class of tests for uniformity of a circular distribution. *Ann. Math. Statist.* **40** (1969) 1196–1206.
4. The derivation of nonparametric two-sample tests from tests for uniformity of a circular distribution. *Biometrika* **56** (1969) 561–570.
5. Linear rank statistics under alternatives indexed by a vector parameter. *Ann. Math. Statist.* **41** (1970) 1896–1905.
6. On distribution-free statistical inference with upper and lower probabilities. *Ann. Math. Statist.* **42** (1971) 157–168.
7. Upper and lower risks and minimax procedures. In *Proc. Sixth Berkeley Symp. Math. Stat. Prob.* (L. Le Cam, J. Neyman and E. L. Scott, eds.) **1** (1970) 1–16. Univ. of California Press, Berkeley and Los Angeles.
8. A note on distribution-free statistical inference with upper and lower probabilities. *Ann. Math. Statist.* **42** (1971) 1943–1948.
9. Rank spectral processes and tests for serial dependence. *Ann. Math. Statist.* **43** (1972) 1949–1966.
10. Asymptotically efficient adaptive rank estimates in location models. *Ann. Statist.* **2** (1974) 63–74.
11. Local asymptotic power of quadratic rank tests for trend. *Ann. Statist.* **3** (1975) 401–412.
12. Adaptive estimates for autoregressive processes. *Ann. Inst. Statist. Math.* **28** (1976) 77–80.
13. Tail probabilities of noncentral quadratic forms. *Ann. Statist.* **3** (1975) 969–974.
14. Robust estimates of location. In *Proc. Computer Science and Statistics: 8th Ann. Symp. on the Interface* (1975) 387–389. UCLA
15. Robust location estimates. *Ann. Statist.* **5** (1977) 431–444.
16. Estimating a distribution function. *Ann. Statist.* **5** (1977) 400–404.
17. Minimum Hellinger distance estimates for parametric models. *Ann. Statist.* **5** (1977) 445–463.
18. An efficient and robust adaptive estimator of location. *Ann. Statist.* **6** (1978) 292–313.
19. Testing for ellipsoidal symmetry of a multivariate density. *Ann. Statist.* **7** (1979) 150–163.
20. Exponential models for directional data. *Ann. Statist.* **7** (1979) 1162–1178.
21. Asymptotic lower bounds for risk in robust estimation. *Ann. Statist.* **8** (1980) 1252–1264.
22. Efficient robust estimates in parametric models. *Z. Wahrscheinlichkeitstheorie und Verw. Gebiete* **55** (1981) 91–108.
23. Efficient robust tests in parametric models. *Z. Wahrscheinlichkeitstheorie und Verw. Gebiete* **57** (1981) 73–86.
24. Robust estimation in models for independent non-identically distributed data. *Ann. Statist.* **10** (1982) 415–428.
25. Estimated sampling distributions: the bootstrap and competitors. *Ann. Statist.* **10** (1982) 212–225.
26. Minimum distance procedures. *Handbook of Statistics* (Krishnaiah and P. K. Sen, eds.) **4** (1984) 741–754. Elsevier.
27. Bootstrap methods in statistics. *Jber. d. Dt. Math. Verein.* **86** (1984) 14–30.
28. Jackknife approximations to bootstrap estimates. *Ann. Statist.* **12** (1984) 101–118.

29. (with P. W. Millar) Asymptotic theory of confidence sets. In *Berkeley Conference in Honor of Jerzy Neyman and Jack Kiefer* (L. Le Cam and R. A. Olshen, eds.) **II** (1985) 865–886. Wadsworth.
30. (with M. S. Srivastava) Bootstrap tests and confidence regions for functions of a covariance matrix. *Ann. Statist.* **13** (1985) 95–115. Correction note in **15** (1987) 470–471.
31. Stochastic procedures: bootstrap and random search methods in statistics. *Bull. Int. Statist. Inst. Proceedings of the 45th session in Amsterdam* (1985) 25.1-1 to 25.1-12.
32. Simulated power functions. *Ann. Statist.* **14** (1986) 151–173.
33. (with P. W. Millar) Confidence sets for a multivariate distribution. *Ann. Statist.* **14** (1986) 431–443.
34. Discussion of “Jackknife, bootstrap and other resampling methods in regression analysis” by C. F. J. Wu. *Ann. Statist.* **14** (1986) 1295–1298.
35. Discussion of “Better bootstrap confidence intervals” by B. Efron. *J. Amer. Statist. Assoc.* **82** (1987) 195–196.
36. Book review of *Robust Statistics, The Approach Based on Influence Functions* by F. R. Hampel, E. M. Ronchetti, P. J. Rousseuw, and W. Stahel. *Metrika* **34** (1987) 124–125.
37. (with P.W. Millar) Stochastic estimation and testing. *Ann. Statist.* **15** (1987) 1131–1154.
38. Prepivoting to reduce level error of confidence sets. *Biometrika* **74** (1987) 457–468.
39. (with L. Le Cam and P. W. Millar) Convergence of stochastic empirical measures. *J. Multivariate Anal.* **23** (1987) 159–168.
40. Weak convergence: Statistical applications. In *Encyclopedia of Statistical Sciences* (S. Kotz and N. L. Johnson, eds.) **9** (1988) 537–539. Wiley.
41. Monte Carlo methods in statistical inference. *Proc. of the 1987 Joint Sino-American Statistical Meeting in Beijing* (1987) 4–14.
42. Balanced simultaneous confidence sets. *J. Amer. Statist. Assoc.* **83** (1988) 679–686.
43. Discussion of “Theoretical comparison of bootstrap confidence intervals” by P. Hall. *Ann. Statist.* **16** (1988) 956–959.
44. Prepivoting test statistics: a bootstrap view of the Behrens-Fisher problem, the Bartlett adjustment, and nonparametric analogs. *J. Amer. Statist. Assoc.* **83** (1988) 687–697.
45. Discussion of papers by D. Hinkley and by T. DiCiccio and J. Romano. *J. Roy. Statist. Soc., Ser. B* **50** (1988) 360–361.
46. (with P.W. Millar) A stochastic minimum distance test for multivariate parametric models. *Ann. Statist.* **17** (1989) 125–140.
47. Refining bootstrap simultaneous confidence sets. *J. Amer. Statist. Assoc.* **85** (1990) 417–426.
48. Calibrating prediction regions. *J. Amer. Statist. Assoc.* **85** (1990) 715–723.
49. (with P.W. Millar) Tests of fit for logistic models. In *The Art of Statistical Science* (K. V. Mardia, ed.) (1992) 153–172. Wiley.
50. Introduction to Efron (1979) Bootstrap methods: another look at the jackknife. In *Breakthroughs in Statistics II* (S. Kotz and N. Johnson, eds.) (1992) 565–568. Springer.
51. Designing bootstrap prediction regions. In *Bootstrapping and Related Techniques* (K. H. Jöckel, G. Rothe, W. Sandler, eds.), Lecture Notes in Economics and Mathematical Systems **376** (1992) 23–30. Springer.
52. Designing bootstrap prediction bands. In *Nonparametric Functional Estimation and Related Topics* (G. G. Roussas, ed.), NATO ASI Series (1991) 577–586. Kluwer.

53. (with G. R. Ducharme) *Asymptotic Theory for Bootstrap Methods in Statistics*. (1991) Publications CRM, Université de Montréal.
54. Controlling conditional coverage probability in prediction. *Ann. Statist.* **20** (1992) 1110–1119.
55. Simultaneous prediction regions. *Probab. Th. Rel. Fields* **92** (1992) 231–246.
56. (with Peter Hall) Estimating coefficient distributions in random coefficient regression. *Ann. Statist.* **20** (1992) 1970–1984.
57. (with Peter Hall) Interpolated nonparametric prediction intervals and confidence intervals. *J. Roy. Statist. Soc., Ser. B.* **5** (1993) 643–652.
58. Book review of *von Mises Calculus for Statistical Functionals* by L. T. Fernholz. *Metrika* **39** (1992) 198.
59. Discussion of “Jackknife-after-bootstrap standard errors and influence functions” by B. Efron, J. Roy. Statist. Soc., Ser. B **54** (1992) 83–127.
60. The radial process for confidence sets. In *Probability in Banach Spaces, 8* (R. M. Dudley, M. G. Hahn and J. Kuelbs, eds.), Progress in Probability Series **30** (1992) 479–496. Birkhäuser.
61. Probability-centered prediction regions. *Ann. Statist.* **21** (1993) 1967–1981.
62. Prediction in random coefficient regression. *J. Statist. Planning Inference* **43** (1995) 205–213.
63. Book review of *The Bootstrap and Edgeworth Expansion* by Peter Hall. *J. Amer. Statist. Assoc.* **88** (1993) 375–376.
64. Book review of *Statistical Intervals: A Guide for Practitioners* by G. J. Hahn and W. Q. Meeker. *SIAM Rev.* **35** (1993) 309–310.
65. Fitting Random Coefficient Regression Models. In *Statistical Sciences and Data Analysis: Proceedings of the Third Pacific Area Statistical Conference* (K. Matusita, M. L. Puri, T. Hayakawa, eds.) (1993) 33–39. VSP International Science Publishers, Utrecht.
66. Semiparametric random coefficient regression models. *Ann. Inst. Statist. Math.* **45** (1993) 639–654.
67. Seven stages of bootstrap. In *Computational Statistics* (P. Dirschedl and R. Ostermann, eds.) (1994) 143–158. Physica Verlag, Heidelberg.
68. Stein predictors and prediction regions. In *Asymptotic Statistics: Proc. Fifth Prague Symp.* (M. Hüsková and P. Mandl, eds.) (1994) 59–74. Physica-Verlag, Heidelberg.
69. (with P. W. Millar) Minimum distance estimation in random coefficient regression models. *Ann. Statist.* **22** (1994) 1976–1992.
70. Discussion of “Bootstrap: more than a stab in the dark?” by G. A. Young. *Statist. Science* **9** (1994) 395–396.
71. Stein confidence sets and the bootstrap. *Statistica Sinica* **5** (1994) 109–127.
72. The role of Hájek’s convolution theorem in statistical theory. *Kybernetika* **31** (1995) 221–237.
73. Book review of *Robust Asymptotic Statistics* by Helmut Rieder. *J. Amer. Statist. Assoc.* **90** (1995) 1128–29.
74. Book review of *Computer Intensive Statistical Methods* by J. S. Urban Hjorth. *SIAM Rev.* **37** (1995) 459–460.
75. Confidence sets centered at C_p -estimators. *Ann. Inst. Statist. Math.* **48** (1996) 1–15.
76. Bootstrap variable selection and confidence sets. In *Robust Statistics, Data Analysis and Computer Intensive Methods* (H. Rieder, ed.), Springer Lecture Notes in Statistics **109** (1996) 1–16.
77. Stein estimation in high dimensions: a retrospective. In *Madan Puri Festschrift* (E. Brunner and M. Denker, eds.) (1996) 91–110. VSP, Zeist.

78. (with P.W. Millar) Multivariate symmetry models. In *Festschrift for Lucien Le Cam: Research Papers in Probability and Statistics* (D. Pollard, E. Torgersen, and G. Yang, eds.) (1997) 13–42. Springer, New York.
79. Hellinger distance estimation. In *Encyclopedia of Statistical Sciences*, Update Volume **2** (1998) 305–310. Wiley, New York.
80. (with A. Feuerverger and P. Hall) On nonparametric estimation of intercept and slope distributions in random coefficient regression. *Ann. Statist.* **24** (1996) 2569–2592.
81. Diagnosing bootstrap success. *Ann. Inst. Statist. Math.* **49** (1997) 1–24.
82. Discussion of Jhun Shao’s paper on model selection. *Statistica Sinica* **7** (1997) 243–249.
83. Introduction to Hájek (1970) A Characterization of Limiting Distributions of Regular Estimates. In *Breakthroughs in Statistics III* (S. Kotz and N. L. Johnson, eds.) (1997) 217–224. Springer, New York.
84. (with N. I. Fisher) Nonparametric comparison of mean directions or mean axes. *Ann. Statist.* **26** (1998) 472–493.
85. (with N. I. Fisher) A conversation with Geoff Watson. *Statistical Science* **13** (1998) 75–93.
86. Maximum risk in principal component regression. In *Proceedings of Prague Stochastics ’98* **1** (1998) 27–32. Union of Czech Mathematicians and Physicists.
87. Hájek and the superefficiency breakthrough. In *Collected Works of Jaroslav Hájek—With Commentary* (M. Hüsková, R. Beran, and V. Dupač, eds.) (1998) 7–14. Wiley, Chichester.
88. (with L. Dümbgen). Modulation estimators and confidence sets. *Ann. Statist.* **26** (1998) 1826–1856.
89. Hájek-Inagaki Convolution Theorem. In *Encyclopedia of Statistical Sciences*, Update volume **3** (1999) 294–297. Wiley, New York.
90. Fisher’s Program. In *Encyclopedia of Statistical Sciences*, Update volume **3** (1999) 242–246. Wiley, New York.
91. Superefficient estimation of multivariate trend. *Mathematical Methods of Statistics.* **8** (1999) 166–180.
100. The impact of the bootstrap on statistical algorithms and theory. *Statistical Science.* **18** (2003) 175–184.
93. Extremal fits in REACT confidence sets. In *State of the Art in Probability and Statistics: Festschrift for Willem R. van Zwet.* (M. de Gunst, C. Klaassen, A. van der Vaart, eds.) IMS Lecture Notes–Monograph Series **36** (2001) 72–90.
94. REACT trend estimation in correlated noise. In *Asymptotics in Statistics and Probability* (M. L. Puri, ed.) (2000) 1–16. VSP, Zeist.
95. The role of experimental statistics. In *Data Analysis from Statistical Foundations* (A. K. Md. E. Saleh, ed.) (2001) 257–274. Nova Science Publishers.
96. Discussion of “Local extremes, runs, strings and multiresolution” by L. Davies and A. Kovac. *Ann. Statist.* **29** (2001) 48–52.
97. Lucien Le Cam: An Appreciation. *Bull. Internat. Statist. Inst.*, 53rd Session Proceedings. **Volume LIX**, Book 1 (2001) 525–528.
98. Penalized least squares and REACT estimators. *Computer Data Analysis and Modeling, Proceedings of the Sixth International Conference.* (S. Aivazian, Yu. Kharin, H. Rieder, eds) (2001) Vol 1, 64–72.
99. Improving penalized least squares through adaptive selection of penalty and shrinkage. *Ann. Inst. Statist. Math.* **54** (2002) 900–917.

100. The impact of the bootstrap on statistical algorithms and theory. *Statistical Science*. **18** (2003) 175–184.
101. Adaptive estimation of directional trend. In *Probability, Statistics and their Applications: Papers in Honor of Rabi Bhattacharya*. (K. Athreya, M. Majumdar, M. Puri, E. Waymire, eds.) IMS Lecture Notes-Monograph Series **41** (2003) 15–34.
102. Low risk fits to discrete incomplete multi-way layouts. In *Compstat Proceedings in Computational Statistics: 16th Symposium, Prague, Czech Republic*. (J. Antoch, ed.) (2004) 671–678. Physica Verlag, Heidelberg.
103. Hybrid shrinkage estimators using penalty bases for the one-way layout. *Ann. Statist.* **32** (2004) 2532–2558.
104. Discussion of “Ancillaries and Conditional Inference” by D. A. S. Fraser. *Statistical Science*. **19** (2004) 358–363.
105. ASP fits to multi-way layouts. *Ann. Inst. Statist. Math.* **57** (2005) 201–220.
106. Boosting efficiency by multiple affine shrinkage. In *Prague Stochastics 2006: Proceedings of the 7th Prague Symposium on Asymptotic Statistics and the 15th Prague Conference on Information Theory, Statistical Decision Functions and Random Processes*. (M. Hüsková and M. Janžura, eds.) (2006) 2–13. MATFYZPRESS, Charles University, Prague.
107. Multiple penalty regression: fitting and extrapolating a discrete incomplete multi-way layout. *Ann. Inst. Statist. Math.* **59** (2007) 171–195.
108. Adaptation over parametric families of symmetric linear estimators. *J. Statist. Planning Inference*. (Special Issue on Nonparametric Statistics and Related Topics: In honor of M. L. Puri). **137** (2007) 684–696.
109. Statistical modelling for process control in the sawmill industry. *Applied Stoch. Models in Business and Industry*. **22** (2006) 459–481.
110. Adaptive estimators of a mean matrix: total least squares versus total shrinkage. *Econometric Theory*. In press.
111. Adaptively denoising discrete two-way layouts. In *Advances in Statistical Modeling and Inference: Essays in Honor of Kjell A. Doksum* (Vijay Nair, ed.) (2007) 147–174. World Scientific.
112. (with M. Bilodeau and P. Lafaye de Micheaux). Nonparametric tests of independence between random vectors. *J. Multivariate Anal.* In press.
113. Estimating a mean matrix: boosting efficiency by multiple affine shrinkage. *Ann. Inst. Statist. Math.* In press.
114. Projection partition fits to layouts with multivariate responses. *Bull. Internat. Statist. Inst.*, 56th Session Proceedings: Lisbon. DVD (2007).

Note: Recent preprints are available at <www.stat.ucdavis.edu/~beran/paper.html>

Books

1. (with G. R. Ducharme) *Asymptotic Theory for Bootstrap Methods in Statistics*. (1991) Publications CRM, Université de Montréal.
2. (co-edited with M. Hüsková and V. Dupač) *Collected Works of Jaroslav Hájek—With Commentary* (1998). Wiley, Chichester.

Unpublished Preprint

1. Nonparametric regression with randomly censored survival data.

10/07